This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

+ *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.

+ *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.

+ *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.

+ *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at `http://books.google.com/`

1
96



Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google

Luerssen
vom Verf.

SYSTEMATISCHES VERZEICHNIS

DER IN DEN

GÄRTEN DER KÖNIGL. PREUSS. FORSTAKADEMIE

ZU

HANN. MÜNDEN

KULTIVIERTEN HOLZPFLANZEN.

von M. Büsgen.
Busgen

HANN. MÜNDEN, JUNI 1907.

Digitized by Google

Lefte 1915
30447
Ceg
B5

Die in dem nachstehenden Verzeichnis aufgeführten Namen sind die Bezeichnungen, welche H. Zabel, während er als akademischer Gartenmeister hier in Münden tätig war, zur Etiquettierung verwandte. Der um den Garten so hochverdiente Herr Zabel hatte die Güte, die Korrekturen mitzulesen.

Hann. Münden, den 12. Juni 1907.

M. Büsgen.

Digitized by Google

I. Gymnospermae.

Ginkgoaceae.

Ginkgo biloba. L. ♀

Coniferae.

Abies amabilis Forb.
— balsamea. Mill.
— — v. hudsonica.
— — v. longifolia.
— brachyphylla. Maxim.
— cephalonica. Lk.
— — Lk. v. Apollinis.
— cephalonica var.
— cilicica. Carr.
— concolor. Ldl. v. lasiocarpa. Engl. et Sarg.
— — violacea. Ht.
— firma S. & Z.
— Fraseri. Lindl.
— grandis Ldl.
— oregona.
— Mariesi. Mast.
— Maximowiczi. Ht.
— nobilis argentea. Ht.
— Nordmannianna. Stev.
— — Stev. v. glaucescens
— numidica. De Lannoy.
— pectinata. DC.
— Pinsapo. Ht.
— Pinsapo. Boiss.
— Picea excelsa var.
— sachalinensis. Mast.
— sibirica. Ledeb
— subalpina. Eglm.
— umbilicata. Mayr.
— Veitchi. Carr.
Biota orientalis. Endl.
Biota orientalis aurea. Hort.
— — filiformis stricta. Hort.
— — v. meldensis. Laws.
— — v. variegata.
Cedrus atlantica, Manetti v. glauca Ht.
— Deodara Loud. ♀ v. robusta. Ht.
Chamaecyparis Lawsoniana. Parl.
— v. filiformis. Ht.
— v. Fraseri. Ht.
— minima glauca, Ht.
— nutkaensis Spch. v. pendula, Ht.
— obtusa S. & Z.
— pisifera, S. & Z.
— — filifera. Ht.
— — v. plumosa.
— sphaeroidea andelyensis. Carr.
Cryptomeria japonica. L.
Juniperus chinensis. L,
— — femina. Hort.
— communis. L. v. uralensis.
— phoenicea. L.
— Oxycedrus. L.
— rigida S. & Z.
— — S. & Z. nivea. Ht.
— Sabina. L.
— — v. tamariscifolia Ait.
— spec. (Lasdeniana Hort.)
— sphaerica. Ldl.
— squamata. Ham.
— virginiana. L.
— — L. v. elegans.
— — L. v. repens.
— — L. v. tripartita.

Digitized by Google

Larix dahurica. Turcz.
— europaea DC v. glauca pendula.
— — DC. v. pendula.
— — DC. v. rossica.
— — DC. v. sibirica
— Griffithi Hook
— kurilensis. Mayr.
— leptolepis. Gord.
— occidentalis. Nutt.
Libocedrus decurrens. Torr.
Picea acicularis. Maxim.
— ajanensis. Fisch. f. japonia Maxim.
— Alcockiana. Carr.
— Engelmanni. Eglm.
— excelsa alpestris Brügger.
— — Lk. v. Cranstoni. Carr.
— — Lk. v. inversa. Ht.
— — Lk. v. Maxwelli. Ht.
— — Lk. v. montana.
— — Lk. v. Remonti. Ht.
— — Lk. v. viminalis. Casp.
— Glehni. Fr. Schmidt.
— hondoensis, Mayr.
— jezoensis, Carr.
— Maximowiczi, Regl.
— microsperma. Carr.
— Morinda. Lk.
— nigra. Lk.
— — Lk. v. mariana.
— obovata. Led.
— Omorika. Panc.
— orientalis, Lk.
— pungens, Eglm.
— — v. argentea.
— — v. glauca. Hort.
— rubra, Lk.
— Schrenkiana. F. & M.
— sitchensis. Trtv. & Mey.
Pinus albicaulis. Engl.
— aristata, Engl.
— Banksiana. Lamb.
— Cembra. L.
— — Pall. v. pumila.
— contorta, Dougl.
Pinus edulis, Eglm.
— excelsa, Wall.
— flexilis, James.
— Jeffreyi, Murr.
— inops, Sol.
— koraiensis, S. & Z.
— Lambertiana. Dgl.
— Laricio, Poir. v. austriaca, Edl.
— — v. Fenzli.
— — v monspeliensis Hort.
— Lemoniana, Ehr.
— leucodermis, Ant.
— mitis, Mchx.
— montana, Mill. var.
— — v. Pumilio.
— monticola. Dgl.
— parviflora, S. & Z.
— Pinaster Sol.
— ponderosa, Dgl.
— — v. Benthamiana.
— — Dgl. v. Craigiana.
— — Dgl. v. deflexa. Torr.
— pungens, Mchx.
— resinosa, Sol.
— rigida. Mill.
— silvestris. L.
— — L. (abchasica Ht.)
— — L. beveronensis.
— — L. v. engadinensis.
— — L. v. lapponica.
— — L. v. rubra.
— Strobus. L.
— uncinata, Ram.
Pseudolarix Kaempferi. Gord.
Pseudotsuga Douglasi, Carr. v. glauca.
— Douglasi Carr. v. taxifolia.
Sciadopitys verticillata. S. & Z.
Sequoia gigantea, Endl.
Taxodium distichum, Rich.
Thuja gigantea. Nutt.
— occidentalis, L.

Digitized by Google

Thuja occidentalis Bodmeri, Hort.
— — L.v.Froebeli, Ht.
— — L.v.Hoveyi. Ht.
— — L. v. hybrida.
— — L.v. tatarica. Ht.
— — L. aus Vermont.
— — L. v. Wagneri.
— — v. Wareana, Ht.
— plicata, Don.
— Standishi, Carr.
Tsuga canadensis, Carr.
— — v. parvifolia (P. Smith.)
— caroliniana, Engelm.
— diversifolia, Maxim.
— Mertensiana, Carr.
Tsuga Pattoniana, Engelm.

Taxaceae.

Cephalotaxus drupacea. S. & Z.
— Fortunei, Hook
— gracilis, Ht.
— lanceolata, Ht.
— pedunculata, S. & Z.
— robusta, Hort. Transoni.
Taxus baccata, L.
— — aureo variegata Hort.
— canadensis, Willd.
Torreya californica, Torr.
— grandis, Fort.
— nucifera, S. & Z.

Digitized by Google

II. Angiospermae.

A. Moncotyledoneae.

Liliaceae.

Smilax hispida, Mhg.
— rotundifolia, L.
— — L. v. caduca.
— spec. Jllinois.
— tamnoides. L. v. hastata.

B. Dicotyledoneae.

Myricaceae.

Myrica asplenifolia. L.
— carolinenis, Mill.
— cerifera, L.
— Gale, L.
— — L. v. tomentosa.

Juglandaceae.

Carya alba. Nutt.
— amara Nutt.
— aquatica. Nutt.
— microcarpa. Nutt.
— olivaeformis. Nutt.
— porcina. Ntt.
— sulcata. Ntt.
— tomentosa. Ntt.
Juglans cinerea. L.
— cordiformis. Max.
— fruticosa. Ht.
— mandschurica. Maxim.
— nigra. L.
— regia. L. v. fertilis.
— rupestris. Eglm.
— Sieboldiana Max.
Pterocarya caucasica. Mey.
— fraxinifolia. Spch. v. laevigata.
— japonica. Ht. Simon Louis frères.

Salicaceae.

Populus alba. L.
— alba pyramidalis. Bunge.
— angulata. Ait.
— — v. cordata. Ht.
— angustifolia. James.
— balsamifera. L.
— berolinensis, C. Koch. ♂
— canadensis. Mnch.
— — v. Eugenei.
— — v. regenerata. H. gall.
— candicans. Ait.
— canescens. Sm.
— certinensis. Ht. ♂
— laurifolia, Led.
— nigra, L.
— — v. pyramidalis.
— pyramidalis Roz. ♀
— Sieboldi, Mig.
— Simoni, Carr. ♀
— tremula, L.

Digitized by Google

Populus tremula L. v. pendula.
— — L. v. viridifolia.
— trichocarpa, Ntt.
— tristis, Fisch.
— viadri, Rüdig.
— Wobstii, Ht.
Salix acuminata, Sm. ♀
— acutifolia, Willd. ♀
— adenophylla, Hook. ♀
— alba, L.
— — v. Bradfordii, Ht.
— — L. v. Britzensis.
— — v. coerulea.
— alba L. v. splendens.
— alba L. v. vitellina.
— alba × fragilis.
— alba × fragilis, f. lucida. ♀
— alba × pentandra. ♂
— alba × triandra.
— arbuscula L. f. cartilaginea.
— — × phylicifolia.
— — × hastata.
— — × Lapponum. ♀
— — × myrtilloides.
— arctica R. Br. v. petraea. ♂
— aurita, L. ♂
— — L. ♀
— — L. ♀ var.
— — L. f. microphylla.
— — L. v. tricolor.
— aurita × caprea.
— aurita × cinerea.
— aurita × incana. ♀
— — × livida ♂
— — × — ♀
— — × phylicifolia Zabel ♂
— — × repens. ♀
— — × — ♂
— — × — f. superrepens.
— — × silesiaca.
— — × — ♀
— — × — ♂
— — × viminalis.
— — × viminalis × purpurea. ♂

Salix babylonica, L. v. annularis. Forb.
— babylonica, L. v. Lavalléei.
— — mascula, Ht.
— babylonica × fragilis.
— Barclayi Anderss, ♀ Ht. Zöschen.
— blanda. And.
— caesia, Vill.
— — Vill. v. pendula.
— candida, Fl. ♀
— caprea, L. ♀
— — L. ♂
— — × cinerea, ♀
— — × daphnoides. ♀
— — × dasyclados, ♀
— — × — ♀ f. grandifolia.
— — × grandifolia. ♀
— — × incana. ♀
— — × — ♂
— — × incubacea, ♀
— — × — ♂
— — × nigricans.
— — × phylicifolia, ♀
— — × purpurea, ♀
— — × — v. mauternensis (Kerner).
— caprea × repens, ♀
— caprea × viminalis. ♀
— — × — ♂
— chinensis Ht. ♀
— chlorophylla, And.
— cinerea, L. ♂
— — L. ♀
— — L. v. crenulata. ♀
— — L. v. crenulata ♂
— cinerea × glabra, Zabel. ♀
— cinerea × grandifolia. ♂
— cinerea × incana, ♂ Ht. Götting.
— cinerea × incana. ♀
— cinerea × nigricans. ♀
— — × — ♂
— cinerea × purpurea. ♀
— — Pontederana Ht. Berl.

Digitized by Google

Salix cinerea × repens.
— cinerea L. v. spuria Wim. ♂
— cinerea × superviminalis ♀
— cinerea × triandra. (Hort. berol.)
— cinerea × viminalis ♀
— — × — ♂
— cinerea × viminalis, ♀ f. heterophylla.
— cordata, Mühl.
— — L. v. angustifolia.
— cordata × purpurea
— daphnoides, Vill. ♂
— — Vill. v. hirsuta. ♂
— — Vill. v. pomeranica. ♀
— daphnoides × purpurea. ♂
— — × repens. ♂
— — longifolia. ♂
— dasyclados, Wimm. ♂
— dasyclados. ♀
— — f. glaucophylla. ♀
— — longifolia. ♂
— — × purpurea.
— — × purpurea, v. desertorum Rich.
— dichroa, Döll ♀ (aurit × purp.)
— dichroa super-purpurea. ♂
— discolor, Mhl.
— elegantissima, C. Kch.
— formosa, Nt.
— fragilis, L. ♂
— fragilis × pentandra.
— fragilis × triandra.
— glabra, Scp.
— glauca, L.
— grandifolia, Ser.
— — × hastata ♀
— — × purpurea.
— hastata. L. ♂
— — × phylicifolia.
— — × retusa. ♀
— Hegetschweileri. Heer.
— hippophaefolia, Thuillier.
— holosericea, Willd. ♂
— Hookeriana, Barr. ♀ ht. Zösch.

Salix Hoyeriana. Ht. Zösch. ♀
— humilis. Mrsh.
— humilis Mrsh. f. villosa. ♀
— incana. Schrk. ♂
— — v. angustifolia.
— — hybrida.
— lanata. L. v. latifolia.
— — L. v. longifolia ♂
— — L. v. longifolia ♀
— lancifolia, Andr.
— Lapponum, L. ♂
— Lapponum, L. v. helvetica Vill.
— — × phylicifolia.
— — × stipularis f. Tepleuchowii.
— — × viminalis.
— livida, Whlbg.
— livida × nigricans. ♀
— livida × repens. ♀
— longifolia / Mühl.
— lucida. Mhl.
— mauternensis super-purpurea. ♀
— Medemii. Boiss.
— Mielichhoferi, Kern.
— mollissima. Ehrh.
— moschata. Ht. ♂
— myrtilloides. L.
— — L. f. atrocarpa.
— Nicholsoni. Ht.
— nigra. Mrsh. ♀
— — f. longifolia.
— nigricans. Sm. ♀
— — Sm. var.
— — Sm. v. borealis.
— — Sm. v. cotinifolia. ♂
— — Sm. v. eriocarpa.
— — Sm. v. menthifolia
— — Sm. v. ovata.
— — Sm. v. prunifolia.
— — × phylicifolia.
— — × pirolifolia. ♂
— — × purpurea. ♂
— — × repens. ♀
— — × Schraderian

Digitized by Google

Salix nigricans × silesiaca. ♂
— pellita. And.
— pellita Ht.
— pentandra. L. ♀
— — L. ♂
— — L v. polyandra. ♂
— — L. v. polyandra. ♀
— pentandra × fragilis.
— petiolaris. Sm.
— phylicifolia, Sm. Sämling.
— — L. v. angustifolia.
— phylicifolia hybrida.
— — × repens ♂
— pirolifolia. Ledeb.
— purpurea L. ♀
— — L. v. americana.
— — L. v. glaucescens.
— — L. v. Helix.
— — L. v. Josephinae.
— purpurea × repens. ♀
— purpurea × repens ♀ f. longifolia.
— purpurea L. v. sericea.
— purpurea × silesiaca.
— purpurea × viminalis.
— — f. Kerkŝii. Ht.
— repens. L. ♀
— — L. v. argentea. ♂
— — L. v. elatior.
— repens × viminalis. ♀
— retusa, L. ♀
— Salomoni. Ht.
— Schraderiana v. Laweana.
— sericea. Mrsh.
— silesiaca. W. ♂
— — W. v. zygocarpa. ♀
— sordida glaucescens, Wimm.
— Trefferi. Hut. ♀
— triandra, L. ♀
— — L. ♂
— — L. v. longifolia.
— triandra × viminalis.
— tristis, Ait.
— undulata, Ehrh. Hort. Göttingen.
— viminalis. L. ♂
Salix viminalis stipularis ♀ ht. Berlin.
— viridis. Fr.
— Wimmeri, Kern. ♂ (Ht. Göttingen.)

Betulaceae.

Alnus Alnobetula. Hart.
— — ovata Hort.
— barbata. Ht.
— cordata. Desf.
— denticulata. Ht.
— firma. Hort. Zösch.
— glutinosa. Gtn.
— — variegata. Hort.
— — Gtn. v. imperialis. Ht.
— — Gtn. v. laciniata. (Flottb.)
— — Gtn. v. oxyacanthifolia.
— — × incana.
— — × incana f. intermedia.
— — × incana f. macrocarpa.
— — × incana f. superglutinosa.
— iaponica. S. & Z.
— incana Mnch.
— — argentea. Hort. Flottbeck.
— — laciniata. Hort.
— — Mnch. var. sericea.
— maritima. Mhl.
— oblongata Ht.
— oregona. Nutt.
— rhombifolia. Ht. Zösch.
— tinctoria. Sieb.
— serrulata. W.
— — W. v. autumnalis.
— — W. v. rugosa.
— subcordata, Mey. v. nervosa. Ht.
— undulata. Ht.
— Yasha, Mats.

Digitized by Google

Betula corylifolia. Ht.
— cuspidata. Ht.
— dahurica. Pall. (Ht. Petersbg.)
— Ermani, Cham.
— excelsa. Ait.
— fruticosa. Pall.
— glandulosa. Mx.
— humilis. Schrk.
— — × pubescens.
— lenta. L.
— lutea Mchx.
— — × pumila.
— Maximowiczi, Rgl
— Middendorffi. Fr. & Mey.
— nana. L.
— nigra. L.
— nitida. Ht.
— occidentalis, Hook.
— papyrifera. Mrsh.
— — v. grandis. Ht.
— populifolia. Ait.
— pubescens. Ehrh.
— — v. dahurica. Ht.
— — v. Hornemanni.
— — v. rhombifolia.
— pumila. L.
— — L. var.
— — (glandulosa. Hort.)
— — pyrifolia. Ht.
— spec. Musart.
— — Fetisow.
— ulmifolia. S. & Z.
— urticifolia. Rgl.
— verrucosa. Ehrh.
— — v. dalecarlica.
— — v. oykowiensis.
— — Ehrh. v. fastigiata.
— — v. microphylla.
— — Ehrh. v. laciniata.
— — Ehrh. v. sibirica.
— — undulata. Ht.
Carpinus Betulus. L.
— — L.var. Carpinizza.
— — purpurea.
— — L. v. quercifolia.
Carpinus cordata. Blm.
— iaponica. Blm.
— orientalis. Mill.
Ostrya carpinifolia. Scop.
— virginiana. K. Koch.
Corylus americana. Mill.
— Avellana L.
— calyculata. Dipp.
— colurnoides Schneid.
— Colurna. L.
— pontica. K. Koch.
— rostrata. Ait.
— sphaerocarpa.
Ostryopsis Davidiana. Decne.

Fagaceae.

Castanea pumila. Mchx.
— sativa. Mill.
Fagus ferruginea. Ait.
— — castaneaefolia.
— silvatica purpurea.
— — L. v. atrosanguinea.
Quercus Aegilops.
— alba. L.
— — L. v. pubescens.
— ambigua Mchx.
— apennina. Ht.
— aquatica. Wlt.
— Ballota. Ht.
— bicolor. W. v. (olivaeformis Ht.)
— castaneaefolia. Mchx.
— Cerris. L.
— — L. v. austriaca.
— coccinea. Wgh.
— cuspidata. Ht. Paris.
— dentata. Thb.
— falcata. Mx.
— fulhamensis. Loud.
— georgiana. Curtis.
— glandulifera. Bl.
— heterophylla. Mchx. Fil.
— ilicifolia. Wnghm.
— imbricaria. Mchx.
— Libani. Oliv.

Digitized by Google

Quercus lobata. Née.
— fulhamensis lucombeana.
— Leana. Nutt.
— lusitanica Lam. (Mittelmeergebiet.)
— lyrata. Walt.
— macranthera. F. & Mey.
— macrocarpa. Mchx.
— — Mchx. f. hybrida.
— — oliviformis. A. Gr.
— nigra. L.
— — L. f. hybrida.
— obtusiloba. Mchx.
— palustris. Dur.
— pedunculata. Ehrh.
— — Ehrh. v. apennina.
— — atropurpurea.
— — Ehrh. v. fastigiata.
— — fastigiata - viridis.
— — fol. maculatis.
— — v. pulverulenta.
— — Thomasii.
— — × sessiliflora.
— Phellos, L.
— — sericea. Hort.
— pontica. C. Koch.
— prinoides Willd.
— Prinus, L.
— — bicolor angustifolia, Dippel.
— — L. v. Castanea Mühl.
— — monticola.
— — L. v. tomentosa.
— Pseudosuber. Santi.
— pubescens W. var.
— — v. crispa.
— — W. v. crispata.
— — Willd. v. Hartwissiana.
Quercus pubescens v. rubens.
— rubra. L.
— serrata. Thnb.
— sessiliflora. Salisb.
— — f. falkenburgensis.
— — heterophylla.
— — mespilifolia. Wallr.
— — purpurea.
— spec. Nuttalli.
— — (mongolica Hort.)
— tinctoria. Bartr.
— — angustifolia. Ht.
— — Bartr. v. macrophylla.
— — Bartr. v. magnifica.
— — repanda.
— Turneri. Willd. (sclerophylla. Ht.)
— Turneri. Willd.

Ulmaceae.

Celtis glabrata. Ht.
— grandidentata. Ten.
— occidentalis. L.
— — Audibertiana.
— — L. v. cordata.
— sinensis. Ht.
— Tourneforti. Lam.
— reticulata. Sarg.
Planera californica. Hort.
Ulmus americana. L.
— campestris. L.
— — L. v.
— — Berardi.
— — L. v. suberosa.
— — viminalis Ht.
— crassifolia. Nutt.
— effusa. W.
— elliptica, C. Koch.
— — C. Koch v. Hayderi.
— fulva. Mchx.
— glabra. Mill.
— montana. With.

Digitized by Google

Ulmus montana adiantifolia. Ht.
— — nana.
— — With v. tiliaefolia.
— parvifolia. Jacq.
— pumila. L.
— racemosa. Thom.
— spec. (Koopmanni Hort)
— - - Nordamerica.
— — (pyramidalis Hort.)
— — stricta purpurea Hort.
— — Taschkend. (Dieck.)
— suberosa alata. Ht.
— — lanuginosa. Ht.
— — v. fol. varieg. Ht.
— turkestanica. Rgl.
Zelkowa carpinifolia. Dippel.
— iaponica. Ht.
— Keaki. Dipp.
— Verschaffelti.

Moraceae.

Ficus Carica. L. v. hirta.
Maclura aurantiaca. Ntt.
Morus, alba L.
— — L. v. Moretti.
— — L. v. tatarica.
— nigra L.

Aristolochiaceae.

Aristolochia tomentosa, Sims.
— Sipho L'Her.

Polygonaceae.

Atraphaxis divaricata. Mssn.

Magnoliaceae.

Liriodendron tulipifera. L.
Magnolia acuminata. L.
— cordata. Mchx.
— Fraseri Walt.
— glauca, L.
— — L. v. Thompsoniana.
— Kobus DC.
— macrophylla Max.
— obovata. Thb.
Magnolia parviflora S. & Z.
— stellata. Max.
— tripetala. L.
Schizandra chinensis, Baill.

Trochodendraceae.

Cercidiphyllum iaponicum S. & Z.

Anonaceae.

Asimina triloba. Dun.

Ranunculaceae.

Clematis crispa. L.
— Durandii.
— Flammula. L.
— — robusta.
— fragrans Ten.
— fusca. Trcz.
— graveolens. Ldl.
— Hendersonii. Ht.
— hybrida nigricans Ht.
— ligusticifoiia. Nutt.
— sibirica. Mill.
— — Mill. fl. viol. alb.
— stans. S. & Z.
— verticillaris. DC.
— Vitalba. L.
— Viticella. L.
— — L. v. kermesima.
Xanthorrhiza apiifolia. L'Her.

Lardizabalaceae.

Akebia quinata. Decne. v. rosea.

Berberidaceae.

Berberis Aquifolium. Prsh.
— — Prsh. v. gracilis.
— aristata DC.
— — Hort.
— Aquifolium × vulgaris.
— buenos ayrensis. Ht.
— buxifolia. Poir.
— caroliniana. Loud.
— chinensis. Dcsf.
— Darwinii × empetrifolia.
— diaphana, Maxim.

Digitized by Google

Berberis divaricata. Prtl.
— empetrifolia. Poir.
— (Mahonia) fascicularis. Sims.
— floribunda. Ht.
— glaucescens. Ht.
— heterophylla. Juss.
— heteropoda. Schrnk.
— — Ht. Kew.
— iaponica. R. Br.
— microphylla. Ht.
— microsperma, R. & P.
— (Mahonia) Murrayana. Ht. v. Houtte.
— — nervosa. Prsh.
— — pallida. Ht.
— — repens. Ldl.
— — rotundifolia. Dipp.
— serratifolia. Ht.
— sibirica. Pall.
— Sieboldii. Miq.
— — — var.
— spec. aetnensis. Ht.
— — (sibirica. Ht.)
— — Thibet II.
— stenophylla, super-Darwinii. Zab.
— Thunbergii. DC.
— virescens Hook.
— vulgaris, L.
— — L. v. amurensis. Ht. Heidelberg.
— — L. fr. albo.
— — L. v. provincialis. Ht.
— — L. (B. sibirica. Ht. Paris.)
— — L. (Wallichiana Ht.)
— Wheeleri. Ht.)

Menispermaceae.

Menispermum canadense, L.
— dahuricum DC.

Calycanthaceae.

Calycanthus glaucus W.
Calycanthus occidentalis. Hook. & Arn.

Lauraceae.

Lindera Benzoin. Meissn.
— hypoglauca. Max.
Sassafras officinale. Nees

Saxifragaceae.

Deutzia crenata. S. & Z.
— — S. & Z. var.
— — S. & Z. v. alba plena.
— — S. & Z. erubescens.
— — S. & Z. v. erubescens, fl. pl.
— — S. & Z. v. fl. pl.
— — S. & Z. v. fl. roseo pl.
— — Fortunei Hort.
— — macropetala. Z.
— gracilis. S. & Z.
— — × parviflora.
— parviflora. Bge.
— scabra. Thb.
— — (vera. Ht. Parsons.)
Escallonia Phillipiana. Mast.
Hydrangea acuminata. Ht.
— — S. & Z. Kais. Elisabeth.
— — Kais. Eugenie.
— arborescens. L.
— — v. laevigata.
— — radiata.
— aspera, Don.
— grandiflora. Ht. Kew.
— hortensis. Sm. v. mandschurica.
— involucrata. Sieb.
— Lindleyana. Ht.
— Madame v. Siebold.
— paniculata. S. & Z.
— — S. & Z. v. grandiflora.
— petiolaris S. & Z.

Digitized by Google

Hydrangea quercifolia. Bartr.
— radiata. Walt.
— sinensis. Ht.
— stellata. Ht.
— Thunbergi Sieb.
— vestita. Wall.
Jamesia americana. T. & Gr.
Itea virginica. L.
Platycrater arguta S. & Z.
Philadelphus acuminatus Sämling.
— columbianus. Nt.
— coronarius L.v.nanus.
— — L.v. salicifolius.
— — L.v.Schrenkii Nt.
— — L. v. tenuifolius.
— dianthiflorus fl. pl.
— floribundus. Ht.
— globosus. Ht.
— Godohokeri. Ht.
— Grahamii. Ht.
— grandiflorus. Ht.
— — W. v. fl. pl.
— — v. speciosissimus. Ht.
— hirsutus. Nutt.
— laxus. Ht.
— Ledebouri. Ht.
— Lemoinei. (Lem.)
— Lewisii. Ht.
— mexicanus. Ht.
— microphyllus. A. Gray.
— myrtifolius. Ht.
— nivalis subplenus. Ht.
— rosaeflorus. fl. pl. Ht.
— — plenus. Lem.
— satsumanus Ht.
— speciosus. Ht.
— tomentosus. Ntt.
— undulatus. Ht.
— Yocohamae.
— Zeyheri. Ht.
Ribes alpinum. L.
— — L.v. diacanthoides.
Ribes alpinum L. v. macrocarpum.
— — L v. microphyllum.
— — L. v. pumilum aureum.
— — L. v. sphaerocarpum.
— — L.valdivianum. Ht.
— aureum. Prsh.
— — Prsh. v. Crandall.
— — Prsh.v. sanguineum.
— — × sanguineum. Ht.
— Billiardi. Bill.
— bracteosum. Dougl.
— caucasicum. Bieb.
— cereum. Dougl.
— confertifolium. Ht.
— Cynosbati. L.
— Diacantha. Pall
— — Pall. v. saxatile.
— Dikuscha. Fisch.
— divaricatum. Dougl.
— fasciculatum. S. & Z.
— floridum. L'Her.
— Gayanum. Walp.
— Grossularia. L. v. americanum.
— — L. v. Uva crispa.
— hirtellum. Mchx.
— holosericeum. Ht.
— intermedium Bill. v. dissectum.
— laxiflorum. Prsh.
— multiflorum. Kit.
— nigrum. L.v. (R. glaciale. Ht.)
— — L.v chlorocarpum.
— — L. v. crispum.
— — L. v. fol. marg.
— — L. v. f. variegatis.
— — L. v. variegatum.
— niveum. Lindl.
— orientale. Poir.
— petraeum. Wulfen.
— resinosum. Prsh.
— rubrum. L.
— — L. v. Prince Albert.
— — L.v. Schlechtendahli

Digitized by Google

Ribes rubrum. L. v. silvestre.
— — L. v. turkestanicum.
— sanguineum. Prsh. v. albidum.
— — Prsh. v. angustum.
— — — v. Davianum.
— — — v. malvaceum.
— Schlechtendahlii Ht.
— spicatum. Ht.
— tenuiflorum. Lindl.
— triste. Ht.
Schizophragma hydrangeoides. S. & Z

Hamamelidaceae.

Corylopsis pauciflora. S. & Z.
— spicata. S. & Z.
Fothergilla alnifolia. L. fil.
Liquidambar orientalis. Mill.
— styraciflua. L.
Parrotia persica. Mey.

Platanaceae.

Platanus acerifolia. Willd.
— — longifolia. Ht.
— occidentalis. L.
— orientalis L.

Rosaceae.

Aronia arbutifolia macrocarpa Zab.
— Dippelii grandifolia Zab.
— — latifolia Zab.
— — longifolia Zab.
— — parvifolia Zab.
— heterophylla form. superaucuparia. Zabel.
— heterophylla super-nigra Zabel.
— hybrida super-aucuparia.
— nigra × Sorbus aucuparia.
— — decumbens Zab.
Amelanchier alnifolia. Ntt.
Amelanchier alnifolia nana. Ht.
— asiatica.
— Botryapium. DC.
— — DC. v. lancifolia.
— florida. Ht.
— oligocarpa. Roem.
— spicata sanguinea. Dieck.
— vulgaris. Mnch.
Amygdalus communis L. fl. pleno.
— nana L.
— — L. v. campestris Bess.
— — L. fl. albo.
— — L. f. latifolia.
— Persica. L. v. atropurpurea.
Chaenomeles alpina. Koehne.
— chinensis. Koehne.
— iaponica.
— — alba grandiflora.
— — atrosanguinea plena.
— — fl. roseo.
— — lutea macrantha.
— — rosea plena.
— — umbilicata.
Cotoneaster acuminata Ldl.
— acutifolia. Ldl.
— bacillaris. Wall.
— — Wall v. floribunda.
— — Wall. v. obtusa.
— buxifolia. Wall.
— chinensis.
— disticha, Lge.
— Fontanesii Spach. v. nummularia.
— frigida. Wall.
— granatensis. Ht.
— horizontalis. Decne.
— Lindleyana. Ht.
— microphylla. Wall.

Digitized by Google

Cotoneaster multiflora. (Ht. Pet.) Bunge.
— nigra. Wahlb
— — Whlb. v. laxiflora.
— nummularia. Fisch & Mey.
— Pyracantha. Spch.
— — — var.
— — v. Lalandi.
— racemiflora.
— — K. Kch. v. Meyeri.
— reflexa. Ht.
— rotundifolia. Wall.
— — Wall. (uniflora. Ht.)
— — Wall. v. Wheeleri.
— Simonsii. Hort.
— tomentosa. Ldl.
— vulgaris. Ldl.

Crataegus ambigua. Mey.
— brevispina. Ht.
— chlorosarca. Maxim.
— coccinea. L.
— — v. flabellata.
— — mollis. Torr. & Gr.
— cordata. Ait.
— Crus galli. L.
— — — L. (virginiana. Ht)
— — — L. pyracanthifolia.
— — — Watsoniana. Ht.
— dsungarica. Ht.
— elliptica minor. Ait.
— flava. Ait.
— glandulosa. Ait.
— Heldreichii. Boiss.
— Korolkowii. Ht.
— laciniata. Ucria.
— macracantha. Lodd.
— maroccana. Ht.

Crataegus media. Bechst.
— melanocarpa. Bieb.
— mexicana. Sess & Moç.
— — oliviformis. Ht.
— monogyna. Jacq.
— — argenteo-variegata. Hort.
— — Gumperi. Ht.
— — rubra plena. Ht.
— — salisburiifolia. Hort.
— — Jacq. v. splendens.
— — stricta. Hort.
— — Jacq. v. tricolor.
— nigra. W. & K.
— odorata. Wdl.
— Oliverianə. Hort.
— orientalis × tanacetifolia.
— — Pall.
— oxyacantha. L.
— — alba plena. Ht.
— — L. v. coccinea plena.
— — v. horrida.
— — Sesteriana. Ht.
— pectinata. Ht.
— Philippi. Ht.
— pinnatifida. Bge.
— pruinosa. Koehne.
— prunifolia. Pers.
— punctata. Jacq.
— — flava lobata. Ht.
— — fr. flavo.
— — fr. rubro.
— — Jacq. v. pyramidalis.
— rivularis. Nutt.
— rotundifolia Mnch.
— sanguinea. Pall.
— — Pall. var.
— sanguinea v. Schröderi.
— — v. subpinnatifida.
— sorbifolia.

Digitized by Google

Crataegus spec. armeniaca.
— — aurantiaca. Ht.
— — flava. Hort.
— — grandidentata. Ht.
— spec. parvifolia. Ht.
— — spicata. Hort.
— succulenta. Ht.
— tanacetifolia. Pers.
— tomentosa. L.
— uniflora. Duroi.
— — grossulariifolia.
Cydonia vulgaris Ps. v. de Bourgeaut.
— — Ps. v. Meech's prolific
— — Ps. v. persica.
Exochorda Albertii Regel.
— grandiflora. Ldl.
Holodiscus ariifolius, Wats.
— discolor. Maxim.
— dumosus v. rubescens.
Malus angustifolia. Mchx.
— armeniacifolia. Ht.
— astracanica, Dum. var. imperialis. Ht.
— — sphaerocarpa. Ht.
— — tatarica, Ht.
— — translucens. Ht.
— baccata, Borkh.
— — × dasyphylla.
— — × spectabills = Kaido. Ht.
— cerasifera. Spch.
— — coccinea.
— — macrocarpa coccinea
— — microcarpa. Wdl
— — odorata. Ht.
— — sibirica. Ht.
— — v. Withney.
— coronaria, Mill.
— dasyphylla, Borkh. (Pirus Malus, L.)
— — dioica. Bsl.
— — flore pleno. Ht.
— — × prunifolia.
— — rotundifolia. Ht.
Malus dasyphylla, var.
— floribunda. Sieb.
— — nivea polypetala Dieck.
— — × spectabilis = Tenorei carnea pl.
— Halliana. Pars.
— prunifolia. Borkh.
— — dulcis
— — fr. luteo.
— — fr. nigro.
— — Hislop.
— — pellucida.
— pumila Mill. var. gallica.
— — v. paradisiaca.
— — v. Siversii, Dipp.
— Ringo, Sieb.
— — argute-serrata.
— — fastigiata-bifera.
— — glabrescens
— — sublobata.
— — trilobata.
— — Ringo × Toringo nivea polypetala, Dieck.
— rivularis, Dougl.
— Scheideckeri, Spaeth.
— silvestris. Mill.
— spectabilis, Borkh.
— — Riversii. Ht.
— Toringo, Sieb.
Mespilus germanica. L.
Neillia thyrsiflora. D. Don.
Neviusia alabamensis A. Gr.
Nuttallia cerasiformis. T. Gr.
Photinia villoaa. DC.
Physocarpus amurensis. Maxim.
— capitatus. O. Kuntze.
— monogynus. O. Kuntze.
— opulifolius. Maxim.
— — inebrians. Ht.
— — nanus. Hort.
Pirus amygdaliformis, Vill.
— betulifolia. Bge.
— canescens Spch.
— communis. L.
— — sibirica. Sämling.

Digitized by Google

Pirus cordata. Desv.
— elaeagnifolia. Pall.
— heterophylla. Rg. & Schmhl.
— Michauxii Ht.
— Pashia. Ham.
— persica. Ht.
— — t. f. pubescens.
— salicifolia. L. f.
— sinaica, Thonin.
— sinensis v. Simoni.
— ussuriensis. Maxim.
— variolosa. Wall.
Potentilla fruticosa. L.
— L. v dahurica. Nestl
— L. v. floribunda. Ht.
— Sallesowii. Steph.
Pourthiaea villosa. Don.
Prunus acida. Ehrh.
— americana. L.
— — Mrsh. v. acuminata.
— — Mrsh. v. canadensis.
— angustifolia. Marsh.
— armeniaca. L. v. salicifolia.
— — L. v. spontanea.
— Avium decumana. Hort.
— — fl. pl. Hort.
— — L. v. salicifolia.
— brigantiaca. Vill.
— Cerasus. L.
— — L. v.
— — L. v. caschmiriaca.
— — Chamaecerasus. Jacq.
— — L. v. himalaica.
— — L. v. Rhexii fl. pl.
— — L. v. serotina. fl. pl.
— cornuta. Wall. Himalaya.
— demissa. Walp.
— — Arn. arb.
— domestica. L.
— fruticosa. Pall.
— Grayana, Max.
— — Ht.
— incana. Stev.
— insititia. L.
Prunus insitiata L. v. fl. pl.
— iaponica. Thb.
— — Thbg. flore albo pleno.
— — Thbg. fl. simpl Ht.
— — Thbg. v. fl. roseo pleno.
— — Thbg. v. semiplena.
— lusitanica. L. v. pyramidalis.
— Mahaleb. L.
— maritima. Wang.
— mollis. Walp. G.
— — T. & Gr.
— monticola. C. Kch.
— Mume. S. & Z. v. fl. pl.
— Myrobalana divaricata.
— Padus. L.
— — Albertii. Ht.
— — bracteosa. Ht.
— — Maackii. Ht.
— — L. v. pubescens.
— — rotundifolia. Ht.
— — stricta. Ht.
— pensylvanica. L. fil.
— prostrata. Labill.
— Pseudocerasus. Ldl.
— — Ldl. v. Sieboldi alba.
— — Ldl. v. Sieboldi rosea.
— — L. v. Watereri.
— pumila. L. v. susquehanae.
— serotina. Ehrh.
— sibirica. Ht.
— spec. dasycarpa. Ht.
— — divaricata. Ht.
— — Pecking.
— — Turkestan.
— spinosa. L.
— — fl. pl. Ht.
— subcordata. Benth.
— tomentosa. Thb.
— triloba L.
— virgata. Ht.
— virginiana. L.
— — L. v. rubra.

Digitized by Google

Prunus virginiana L. v. salicifolia.
Rhodotypus kerrioides. S. & Z.
Rosa acicularis. Lindl.
— — carelica. (Fries.)
— — — glandulosa.
— alba. L.
— alpestris. Rap.
— alpina L.
— — L. var.
— — glandulosa.
— — L. v. monspeliaca.
— — × pomifera.
— — pyrenaica.
— amoena. J. Kern.
— arduennensis. Crp.
— arkansana. Port.
— arvensis. Hds.
— australis. Kern.
— baicalensis. Ht.
— Beggeriana. Schrk.
— — v. nigrescens.
— blanda. Ait.
— — Ait. var.
— — × indica. Zab.
— — × indica, fl. pl.
— — jowensis. Zab.
— — Ait. v. luxurians.
— Boursaultii. Hort.
— californica. Cham.
— — × rugosa.
— — Chm. v. ultramontana.
— clinopbylla. Thory.
— canina. L.
— — × gallica.
— — atrovirens.
— — biserrata.
— — L. v. Bovernier.
— — L. v. calophylla.
— — L. v. cladocompta.
— — dumalis
— — filiformis
— — glaberrima.
— — glaucescens.
— — Hetscholdii. Zbl.

Rosa canina L. v. hibernica.
— — hirtella.
— — L. v. hispidissima
— — L. v. innocua.
— — lutetiana.
— — L. v. oenensis.
— — sphaerica.
— — spuria. Pug.
— — squarrosa.
— capnoides. Kern.
— carolina. L.
— — × humilis.
— — × rugosa.
— centifolia. L. v. cristata.
— — L. v. minor.
— — L. v. unica.
— chinensis × multiflora v. Paquerette.
— cinnamomea. L.
— — L. v.
— — L. v. fl. pl.
— — glabrifolia.
— — glandulifera.
— — microcarpa.
— — persicina.
— — pomifera.
— — × rugosa. Zab.
— coriifolia. Fries.
— — f. archetypica.
— — bovernieriana.
— — macrantha.
— — ornatiflora.
— — subcollina.
— cuspidata. Trtt.
— damascena. Mill.
— dumetorum × repens.
— — Thll. var.
— — Thll. angustifolia.
— — Thll. v. latifolia.
— — — v. opaca.
— — urbica.
— — trichoneura.
— Ecae. Ht.
— elliptica. Tsch. v. thuringiaca.
— erronea.
— exilis. Crp.

Digitized by Google

Rosa Fedschenkoana. Rgl.
— Fendleri. Crep.
— flava.
— — × spinosissima.
— gallica. L.
— — × repens fl. pl.
— glandulosa. Hort.
— glauca. Vill.
— — aciphylla.
— — Vill. v. complicata.
— — — v. Delasoiei.
— — — v. falcata.
— — fr. globosa.
— — Vill. v. globularis.
— — hispida.
— — Vill. v. imponens.
— — inclinata.
— — pennina.
— — × pumila.
— — subcanina.
— — tristis.
— glutinosa. Sm.
— graveolens Jordanii. Dés.
— — lugdunensis.
— — typica.
— gymnocarpa. Ntt.
— hispida, fl. pl. Hort.
— humilis. Mrsh.
— hybrida. Schle.
— — Ruga.
— hybrida Madame Saucy de Parabère.
— iaponica v. macrantha.
— involuta coronata. Crep.
— Jundzillii. Bess.
— — Hampeana, Grsb.
— — reticulata.
— — trachyphylla Rau.
— Jwara Sieb.
— kamtschatica. Hort.
— Kluckii. Bess.
— laxa. Retz.
— leucantha. Lsl.
— leucochroa. Dsv.
— lucida. Ehrh.
— — fl. pl. Hort.

Rosa lutea. Mill.
— — v. bicolor.
— — v. Harrissonii.
— — kaschmiriana.
— — v. persica.
— lutetiana. Lem.
— macrophylla. Ldl.
— Madame G. Bruant.
— Manettii. Criv.
— — — v. fl. simpl.
— micrantha. Sm.
— — Lusseri.
— — permixta.
— — salvanensis.
— — sphaerocarpa.
— — vallesiaca.
— mollis Sm.
— — — v. spinescens.
— — — v. venusta. Sch.
— montana. Chx.
— — — v. Chavini.
— — — v. cuspidata.
— — sanguisorbella.
— — sembrancheriana.
— moschata var. ruscinonensis. Désgl.
— multiflora. Thb.
— — coccinea.
— — Thbg. v. grandiflora.
— — Thb. v. polyantha.
— muscosa. L. v. alba
— nipponensis. Crp.
— nitida. Ht.
— nutkana. Prsl.
— oenensis. Kern.
— oxyacantha. Ht.
— — Hort. var.
— pimpinellifolia L.
— — L. v. Stannwell.
— pisocarpa. Gray.
— — Gray v. conocarpa.
— Pissardi. Ht.
— platyacantha. Schk.
— polyantha. Ht. Jeanne Drivon.
— — Perle d'or.

Digitized by Google

Rosa pomifera. Herm.
— — proxima.
— — recondita.
— — spinescens.
— provincialis. Ht.
— — Mill. v. dijoniensis.
— pumila. L. f.
— — var. Boraeana. Br.
— — × repens.
— Rapa. Bosc.
— reversa Waldst. & Kit.
— — Ht.
— rubella. Sm. v. recurva.
— rubiginosa. L.
— — apricorum.
— — comosa.
— — echinocarpa.
— — — affinis.
— — elongata. Gaud.
— heteracantha.
— — lagenaria.
— — leptopoda.
— — L. v. paucifoliata.
— — rotundifolia.
— — L. v. silesiaca.
— — var.
— rubrifolia. Vill.
— rugosa. Thnb.
— — Thb. var.
— — — v. alba.
— — — v. fl. pl.
— — — v. Regeliana.
— — Souvenir de Yeddo.
— Sabini Wds v. coronata
— — Woods f. ravellae
— salvanensis. Delas.
— sanguisorbifolia.
— Sayi. Schw.
— sempervirens L
— — Amadis, Ht.
— — Ruga, Ht.
— — scandens Mill.
— semperflorens, Curt.
— sepium. Thuill.
— — agrestis. Savi.
— — Thll. v. Kluckii

Rosa sepium pseudosepium.
— — virgultorum.
— Seraphinii. Vis.
— sericea. Ldl.
— setigera. Mchx.
— spec. Musart.
— — nova forma.
— — rubiginosa Double Scarlett.
— — Bovernier.
— — fruct. hispido gland.
— — N. Amer.
— — Rocky mountains.
— — Taschkend.
— — Teneriffa.
— — Turkestan.
— spinosissima. L. (Sylt.)
— — myriacantha.
— — v. Riparti.
— — v. scotica.
— spinulifolia. Dem.
— — Dem. v. macrocarpa.
— surculosa. Wds.
— tomentella, Lem.
— — Blondaeana.
— — scabrata.
— tomentosa. Sm.
— — var.
— — dumosa.
— — v. glabra.
— — hibernica.
— — scabriuscula.
— — subglobosa.
— turbinata. Ait.
— venusta. Scheutz.
— vestita. God.
— — horrida. Zab.
— villosa Andrzeiowskii.
— Webbiana. Wall. f. thibetana.
— Wichuraiana Crép.
— Wilsoni. Ht.
— Woodsii. Ldl.
— xanthina Ldl.
— Zabeli. Crp.
Rubus armeniacus. Hort.

Digitized by Google

Rubus caesius. Z.
— canadensis. L.
— crataegifolius. Bge.
— deliciosus. Torr.
— dumetorum. W. & N.
— fruticosus. L.
— — inermis.
— glaucovirens. Maass.
— gratus Focke.
— Hosack. Hort.
— hybridus Franconia. Ht.
— idaeus L. alpinus.
— — borealis.
— — L. Surprise merveille.
— — × odoratus.
— incisus. Thb.
— laciniatus. W.
— nutkanus. Moç.
— occidentalis. L. v. Greggi.
— odoratus. L.
— — L. v. canadensis. Ht.
— — L. v. fl. albo.
— phoenicolasius. Maxim.
— spectabilis. Prsh.
— sulcatus. Vest.
— tiliaefolius.
— tomentosus. Borkh.
— triphyllus. Thbg.
— ursinus Cham. Schl.
— vestitus W. & N.
— villosus fl. pl.
— — Ait. v. Lawton.
Sorbaria alpina Dippel.
— Lindleyana. Maxim.
— sorbifolia. A. Braun.
Sorbus alnifolia. Koch.
— americana. W.
— — × Aria.
— — W. v. nana.
— — microcarpa.
— arbutifolia. Koch.
— Aria. Crtz.
— — — v. chrysophylla.
— — edulis. (Willd.)
— glabrata. Ht.
Sorbus Aria glabrescens.
— — graeca.
— — iaponica.
— — Crtz. v. longifolia.
— — v. quercoides.
— — Crntz. v. tomentosa.
— — Crtz. v. salicifolia.
— — spec. Himal.
— aucuparia. L.
— — L. v. alpestris.
— — L. v. monstrosa.
— — moravica.
— — L. v. saturejifolia.
— — × domestica.
— Chamaemespilus. Crtz.
— florentina. Zucc.
— Hostii. K. Koch.
— hybrida. L.
— — superaucuparia.
— lanata. (Don.)
— lanata. Wzg.
— lanuginosa. (Kitaib.)
— latifolia. Pers.
— — Pers. f. gallica.
— monstrosa macrocarpa.
— sambucifolia. Kch.
— scandica. Fries.
— — L. v. corymbiflora. Ht.
— — v. dentata. Ht.
— — Fr. v. Mougeoti.
— spec. majestica. Hort.
— thianschanica. Rupr.
— torminalis. Crtz.
— vestita. Wall.
Spiraea acutifolia. Willd.
— alba × corymbosa. Zab.
— — × Douglasii. Zabel.
— albiflora.
— — × Douglasii. Zab.
— — × pachystachys. Zab.
— — × salicifolia. Zab.
— alpina. Pall.
— arguta. Zbl.
— assimilis. Zbl.

Digitized by Google

Spiraea bella. Sms.
— betulifolia. Ht.
— — fol. lut. var.
— — v. rosea.
— blanda. Zab.
— Blumei. G. Don.
— bracteata. Zbl.
— brumalis Lge
— bullata. Max.
— californica. H.
— callosa. Thb. v. glabra. Ht. Petrop.
— — Thb. f. pubescens. H. Petrop.
— cana. Waldst. & Kit.
— canescens. D. Don.
— — D. Don. v. argentea. Ht.
— — myrtifolia. Zabel.
— cantoniensis. Lour.
— — lanceata. Zab.
— chamaedryfolia. L.
— — L. v. flexuosa.
— — stenophylla
— — transiens.
— — ulmifolia. Maxim.
— chinensis. Maxim.
— cinerea. Zbl.
— — superhypericifolia. Zab.
— concinna. Zbl.
— conferta. Zab.
— conspicua. Zbl.
— — Zbl. var.
— corymbosa. Rafin.
— — — var.
— — × macrothyrsa
— crenata. (L.) W.
— decumbens W. Kch.
— difformis. Zbl. f. effusa.
— — subincisa
— Douglasii. Hook.
— — × salicifolia.
— — × superba Zab.
— expansa. K. Koch.
— fontenaysii alba. Bill.

Spiraea fontenaysii rosea. Bill.
— Foxii. Ht.
— gemmata. Zbl.
— Gieseleriana. Zbl.
— Hacquetii. Fenzl & Koch.
— hypericifolia. L.
— — truncata Zab.
— — turkestanica.
— iaponica. L. fil.
— — alborosea.
— — atrosanguinea.
— — discifiora.
— — ruberrima. Hort.
— inflexa. K. Kch.
— intermedia. Lemoine.
— — polystachys Zbl.
— laevigata. L.
— — mas. Zab.
— Lemoinei. Zbl.
— longigemmis. Maxim.
— Margaritae. Zbl.
— macrophylla.
— macrothyrsa. Zbl.
— media. F. Schmidt.
— — Schmidt. var.
— — glabrescens Zab.
— — pilosiuscula. Zab.
— — subintegerrima. Zb.
— Menziesii.
— — Hook. (Montana)
— — Hook. var.
— — angustifolia. Zab.
— — Billiardii.
— — Constantiae. Hort.
— — eriophylla. Zab.
— — eximia. Hort.
— — incarnata.
— — Lennéana Hort.
— — pseudo-douglasii.
— — triumphans.
— micropetala acutifolioides. Zab.
— — interpres. Zab.
— — supermedia. Zab.
— mollis. K. Kch.
— mongolica. Maxim.

Digitized by Google

Spiraea multiflora. Zbl.
— — supercrenata. Zb.
— — superhypericifolia. Zab.
— nivea. Ht.
— — albo-carnea. Zab.
— — Ht. f. albo-rosea.
— — Ht. f. inciso-serrata.
— Nobleana glabrescens. Zab.
— — HK. v. superbetulifolia.
— nudiflora. Zbl.
— oxyodon Zbl.
— pachystachys. Hort.
— pallidiflora. Zbl
— pikoviensis supermedia. Zbl.
— pruinosa. Ht. Musk.
— prunifolia. Sieb. et Zucc.
— — flore pleno.
— pubescens. (Ht. Spaeth.)
— pulchella var. superexpansa. Zbl.
— pumila Zbl. atrorosea. Zab.
— — Bumalda. Zab.
— — Zbl. f. pygmaea.
— — pygmaea alba.
— revirescens. Zab.
— — Zbl. f. atrorosea
— — grandiflora. Zbl.
— — pallida. Zab.
— — parviflora. Zab.
— — rosea. Zab.
— rubra. Ht.
— salicifolia. L. v. alba.
— — bethlehemensis. Ht.
— — — Hort. alba
— — L. v. incarnata.
— — L. v. incisa. Ht.
— — L. v. latifolia.
— — nepalensis carnea.
— — L. v. undulata. Ht.
— sanssouciana. K. Kch.
— Schinabeckii. Zab.
— semperflorens. Ht.
— — spicata. Zab.
— spec. Dieck.

Spiraea superba Fröb.
— — albida. Zab.
— syringiflora. Lem. (albifl. × salicifol.)
— Thunbergii. Sieb.
— tomentosa. L.
— trilobata. L.
— tristis. Zbl.
— vacciniifolia. D. Don.
— Vanhouttei (cantoniensis × trilobata.)
Stephanandra incisa. Zab.
— Tanakae. Franchet et Savatier.

Leguminosae.

Amorpha canescens. Nutt.
— — Nutt. v. glabrescens.
— — Ntt. var.
— fruticosa. L.
Calophaca wolgarica. Fisch.
Caragana aurantiaca. Khne.
— cucullata. P. Smith.
— frutescens. DC.
— — DC. v. grandiflora.
— — DC. v. spinessens. H. Petrop.
— microphylla. Lam.
— pygmaea. DC.
— spinosa. DC.
— trifoliata. Ht.
Cercis chinensis. Bge.
— occidentalis. Torr.
Cladrastis amurensis. Rupr.
Colutea arborescens. L.
— cruenta. Ait.
— haleppica. Ht.
Coronilla Emerus. L.
Cytisus austriacus. L.
— capitatus. Jacq.
— — Jacq. v. pulcher.
— diffusus. Vis.
— glabrescens. Sart.
— hirsutus. L.

Digitized by Google

Cytisus leucanthus. W. K.
— nigricans. L
— — L. v. Carlieri. Ht
— — praecox. Ht.
— procumbens. Sprengel.
— purgans Willk.
— purpureus. Scp.
— — v. albus.
— — Scop. v. erectus.
— — L. v. villosus.
— Rochelii. Wierzb.
Genista dalmatica. Bartl.
— dumetorum. Gand.
— hispanica. L.
— pilosa. L.
— radiata. Spc.
— virgata. W.
Gleditschia caspica. Desf.
— iaponica. Miq.
— macracantha. Desf.
— triacanthos. L.
Gymnocladus dioica. C. Kch.
Halimodendron spec.
Indigofera Dosua. Ham.
Laburnum Adami. (Poiteau.)
— Alschingeri. C. Kch.
— vulgare. Grsb.
— — v. Carlieri. Ht. = vulgare×Cytisus nigricans.
— — Grsb. v. sessilifolium.
Lespedeza bicolor. Turcz.
— Sieboldii. Miq.
Petteria ramentacea. Prsl.
Robinia bella rosea. Ht.
— hispida. L. v. macrophylla.
— neomexicana. A. Gr.
— Pseudacacia. L.
— — L. v. amorphaefolia.
— — Bessoniana.
— — crispa.
— — cylindrica.
— — L. v. Decaisneana. Hort.
Robinia Pseudacacia. L. v. floribunda.
— — L. v. fol. arg. varieg.
— — glaucescens.
— — inermis rubra.
— — monophylla. Ht.
— — — pendula.
— — patula. Ht.
— — L. v. semperflorens.
— — speciosa.
Sophora Korolkowi. Ht.
— violacea Ht.
Spartium junceum. L.
Wistaria japonica. Ht.
— brachybotrys S. & Z.
— chinensis. DC.
— multijuga. Sieb.
— — Sieb. v. alba.

Rutaceae.

Citrus trifoliata. L
Phellodendron amurense Rupr.
— — — v. iaponicum.
Ptelea trifoliata. L.
— — L. v. mollis
Skimmia intermedia. Carr.
— oblata. Ht.
Xanthoxylon americanum. Mill.

Simarubaceae.

Ailanthus glandulosa. Desf
— — flavescens. Ht.

Buxaceae.

Buxus sempervirens angustifolia Ht.

Anacardiaceae.

Rhus Cotinus. L.
— — L. v. atropurpureus.
— — L. v. pendula
— glabra. Sieb.
— — elegans. Ht. Zösch.

Digitized by Google

Rhus Osbecki. DC.
— Toxicodendron. L.
— trilobata, Nutt.
— typhina. L.
— — L. v. arborescens.
— venenata. DC.
— vernicifera. DC.

Celastraceae.

Celastrus punctata. Thb.
Evonymus alata. Kch.
— americana. L.
— atropurpurea. Jacq.
— Bungeana. Max.
— europaea. L.
— — L. v. angustifolia.
— — L. v. leucocarpa.
— iaponica. L. v. Carrièrei.
— — v. radicans.
— latifolia. Scp.
— Maacki. Rup.
— nana. Bieb.
— obovata. Nutt.
— occidentalis Nutt
— Sieboldiana. Bl.
— — Bl. v. ignota. DK.

Aquifoliaceae.

Ilex Aquifolium. L.
— — L. v. ciliata. Hbb.
— — L. v. ferox.
— — scotica.
— decidua. Walt.
— glabra. Gray
— laevigata. A. Gray.
— microcarpa. Lindl.
— ovata. Göpp.
— prunifolia. Ht.
— verticillata. A. Gray.
Nemopanthes canadensis. Dec.

Staphyleaceae.

Staphylea Bumalda S. & Z.
— colchica. Stev.
— Coulombieri. Andr.
Staphylea elegans. Zab.
— Emodi. Wall.
— pinnata. L.
— — L. v. brachybotrys.
— trifolia pauciflora. Zab.

Aceraceae.

Acer acuminatum. Wall.
— barbatum. Ht.
— californicum. Torr. & Gray.
— campestre. L.
— — L. v. austriacum.
— — L. v.
— — L v. heterocarpum.
— — microphyllum.
— — L. v. tauricum.
— — × laetum.
— carpinifolium. S. & Z.
— circinatum. Prsh.
— cissifolium. C. Kch.
— crataegifolium. S. & Z.
— creticum. Hort.
— dasycarpum. Ehrh. ♂
— — — ♀
— — Ehrh. v. laciniatum
— — — macrophyllum.
— — — v. variegatum.
— diabolicum. Blmc.
— Drummondii. Hook & Arn.
— Duretti. Pax.
— Ginnala. Max.
— — v. aidzuense, Frch.
— — Max. f. longifolia.
— — — v. Semenowii.
— glabrum Torr.
— graecum. Ht.
— grandidentatum. Nutt.
— Heldreichii. Ht.
— hyrcanum. F. M.
— insigne. Boiss & Buhs.
— — Van Volxemi.
— laetum. C. A. Mey.
— — viride.
— Lobelii. Ten.

Digitized by Google

Acer macrophyllum. Prsh.
— monspessulanum. L.
— Negundo L.
— — heterophyllum.
— — L. v. variegatum.
— — L. v. violaceum. ♂
— — L. v. — ♀
— — L. v.
— obtusatum. W. K.
— — W. K. v. neapolitanum.
— obtusifolium. Sibth.
— Opalus. Mill.
— — opulifolium.
— palmatum. Thb.
— — Thb. v. digitatum purpureum.
— — Thb. v. dissectum.
— — — v. pinnatifidum.
— pennsylvanicum. L.
— pictum. Thb.
— — mono. Maxim.
— platanoides. L.
— — cucullatum.
— — L. v. heterophyllum.
— — L. var.
— — integrilobum. Zab.
— — L. v. palmatifidum.
— — L. v. undulatum.
— Pseudoplatanus L.
— — L. v. fol. varieg.
— — L. v. longilobum.
— — L. v. lutescens.
— — L. v. purpureum.
— rubrum. L.
— — hybridum.
— rufinerve. S. & Z. v. variegatum.
— saccharinum. Wghm.
— spec. graecum Hort.
— spicatum. Lam.
— tataricum. L.
— trifidum. HK.
— vitifolium. Ht.

Hippocastanaceae.

Aesculus chinensis. Bge.
— discolor. Prsh.
— glabra. W.
— — pallida. Hort.
— Hippocastanum digitata. Hort.
— iaponica. Ht.
— lutea. Wghm.
— pumila fl. pleno.
— rubicunda, Loisl. v. Brioti.

Sapindaceae.

Koelreuteria paniculata Laxm.
Xanthoceras sorbifolia. Bge.

Rhamnaceae.

Berchemia racemosa. S. & Z.
Ceanothus americanus. L.
— Delileanus. Ht.
— hybridus fl. albo pleno.
Hovenia dulcis. Thunb.
Paliurus australis. Gaertn.
Rhamnus alnifolia. L'Hér.
— alpina. L.
— americana. Ht.
— Billiardi. Ht.
— caroliniana. Walt.
— cathartica. L.
— chinensis. Ht.
— chlorophora. H.
— dahurica. Pall.
— Erythroxylon. Pall.
— Frangula. L.
— — v. asplenifolia.
— — × latifolia.
— hybrida. Ht.
— imeretina. Khne.
— infectoria. L.
— lanceolata. Prsh.
— libanotica. Boiss.
— oleifolia. Ht.
— oleoides. Ht.
— pumila. L.
— Purshiana. DC.

Digitized by Google

Rhamnus rupestris. Scp.
— saxatilis. L.
— tinctoria. W. K.
— spec. (Azara. Ht.)
— — Japan.

Vitaceae.

Vitis aconitifolia. Hance.
— — Bge. v. rubricaulis.
— cinerea. Eglm.
— ficifolia. Bge.
— heterophylla. Thbg. var.
— — Thbg. v. elegans.
— — — v. humulifolia.
— iaponica. Thnb.
— indivisa. Willd.
— orientalis. Lam.
— quinquefolia. Mnch.
— — Mnch. var. virginica.
— — — v. hirsuta.
— — — v. muralis.
— riparia. Mchx.

Tiliaceae.

Grewia parviflora. Bnge.
Tilia alba. Ait.
— americana. L.
— — begoniaefolia. Hort.
— — L. v. longifolia dentata. Hort.
— mandschurica. R. M.
— parvifolia. Ehrh.
— platyphyllos Scop.
— — Scop. v. aurea. Ht.
— — — v. Blechiana.
— — — v. pyramidalis.
— pubescens. Ait.
— rubra. Ht.
— — euchlora. (C. Koch.)
— tomentosa. Mnch.
— vitifolia. Ht.

Malvaceae.

Hibiscus syriacus. L. v. superbus.

Dilleniaceae.

Actinidia arguta. Plch
— polygama. Plch.

Theaceae.

Stuartia iaponica. Ht.
— pentagyna. L'Hér.

Guttiferae.

Hypericum densiflorum. Prsh.
— elatum × hircinum.

Tamaricaceae.

Myricaria dahurica. Ehrenb.
— germanica. Desv.
Tamarix anglica. Wbb.
— africana. H.
— elegans. Ht.
— gallica. L.
— tetrandra. Pall.

Stachyuraceae.

Stachyurus praecox. S. & Z.
— — S. & Z. v. gracilis.

Thymelaeaceae.

Daphne alpina. L.
— Mezereum. L.
Dirca palustris. L.

Elaeagnaceae.

Elaeagnus angustifolia. L.
— argentea. Prsh.
— longipes. A. Gr.
— umbellata. Thb.
Hippophae rhamnoides. L.
— — L. v. salicifolia.
Shepherdia argentea. Ntt.
— canadensis. Ntt.

Araliaceae.

Acanthopanax ricinifolius. Decne.
— spinosus. Miq.
Aralia chinensis. Ht.
— — canescens. Lav.

Digitized by Google

Aralia chinensis. L. mandschurica
— hybrida. Ht
— nudicaulis. Gr.
— spec.
Eleutherococcus senticosus. Max.
Fatsia horrida. Benth. & Hook.
Hedera colchica. C. Koch.
— — C. Koch. v. arborea.
— Helix. L. v. canariensis.
— — L. v. conglomerata.
— — L. v. dentata.
— — L. v. digitata.
— — L. v. Kenwoodiana.
— — L. v lobata.
— — L. v. obovata.
— — L. v. poetarum.
Helwingia rusciflora. Willd.
Panax sessiliflorus. Max.

Cornaceae.

Aucuba iaponica. Thb. v. maculata.
Benthamia iaponica. S. & Z.
Cornus alba Spaethi.
— asperifolia. Mchx.
— brachypoda. C. A. Mey.
— circinata. L'Hér.
— florida. L.
— — L v. fl. rubro.
— glabra. Ht. Zösch.
— macrophylla. Wall.
— mas. L.
— — L. var. flava.
— — L. v. lanceolata.
— oblongata. Wall.
— officinalis. S. & Z.
— paniculata. L'Hér.
— pubescens. Ntt.
— pumila. Ht.
— sanguinea. L.
— — L. v. australis.
— — L. fol. variegatis.
— — v. viridissima.
— sericea. L.
— — L. stricta.
Cornus sericea L. v. asperifolia. H.
— — L. v. variegata.
— spec. (brachypoda).
— — Nuttalli. Dieck.
— stolonifera. Mchx.
— stricta. Lam.
— tatarica v. sibirica. Lodd.
Helwingia rusciflora Willd.
Nyssa multiflora. Ht.
— silvatica. Marsh.

Clethraceae.

Clethra acuminata. Mchx.
— alnifolia. L. f. paniculata
— — L. v. tomentosa.
— barbinervis. S. & Z.

Ericaceae.

Andromeda polifolia L. v. maior.
Arctostaphylos uva ursi. Spr.
— — — Spr. v. grandis.
Azalea mollis. Blume.
Bruckenthalia spiculiflora. Rchb.
Bryanthus taxifolius.
Calluna vulgaris. Slsb.
— — v. Alporti.
— — coccinea. Hort.
— — flore pleno. Hort.
— — hypnoides.
Chamaedaphne calyculata. Mch.
— — Mch. v. nana.
Enkianthus campanulatus. Nichol.
— nivalis. Ht.
Erica carnea. L.
— cinerea. L. v. fl. albo.
— Tetralix. L.
— — v. tomentosa.
— vagans. L.
— — L. v. grandiflora.
Gaultheria acuminata. Cham. & Schl.
— procumbens. L.
— — L. v. acuminata.
— Shallon. Prsh.

Digitized by Google

Gaylussacia dumosa. T. Gr.
— frondosa. T. Gr.
— resinosa. T. Gr.
— ursina. T. Gr.
Kalmia angustifolia. L.
— glauca. Ait.
— latifolia. L.
Ledum glandulosum. Ht. Zöschen.
— latifolium. Ait.
— — × palustre.
— palustre. L.
Leiophyllum buxifolium. Ell.
— — Ell. v. prostratum.
Leucothoe axillaris. D. Don.
— — Don. v. Rollissoni.
— Catesbaei Gr. v. angustata.
— racemosa. A. Gr.
— recurva. Buckl.
Lyonia frondosa. Ntt.
— ligustrina Mhl. v. capreaefolia.
— — DC v. tomentosa.
Oxydendron arboreum DC.
Pernettya mucronata v. melanocarpa.
Pieris iaponica. Don.
— Mariana. B. H.
Portuna floribunda. Ntt.
— formosa. (A. Gray.)
Rhododendron arborescens. Torr.
— Aucklandi × catawbiense.
— brachycarpum. G. Don.
— calendulaceum. Torr.
— × Azalea hybridum Emile.
— calendulaceum × viscosum.
— californicum. HK.
— campanulatum × catawbiense.
— canadense. Zab.
— catawbiense Mchx. Everestianum.
Rhododendron Catesbaei. Ht. v. Houtte.
— caucasicum v. luteum.
— Cunninghamii. Hort.
— daphnoides. Ht.
— Daviesii. Davies.
— Fortunei. Ldl.
— gemmiferum. Hort.
— glaucum hybridum. Ht.
— hirsutum. L.
— hybridum elegantissimum.
— — Mad. L. v. Houtte.
— — Mich. Waterer.
— — Tolerianum.
— imbricatum.
— indicum. Swt.
— — v. Kaempferi.
— intermedium. Tsch.
— lanatum. HK. f.
— maximum. L.
— — L. v. Othello.
— Metternichi. S. & Z.
— molle Bl. v. Professor Koster.
— molle × sinense.
— nudiflorum. Torr.
— occidentale. A. Gr.
— odoratum. H.
— ovatum. Ht. Zösch.
— parvifolium. Adams.
— praecox. Ht.
— punctatum. Andr.
— rhombicum Miq.
— roseum delicatum.
— sinense. Sw.
— — — v. alb. grandifl. Hort.
— Smirnowii. Trtv.
— Vaseyi. A. Gr.
— viscosum. Torr.
— Wilsoni. Ht.

Digitized by Google

Vaccinium Arctostaphylos. L
— corymbosum. L.
— — L var.
— dentatum. Ht.
— erythrocarpum. Mchx.
— glabrum. Ht.
— hirsutum. Bckl.
— macrocarpum. Ait.
— — Ait. fr. cylindrico.
— Myrtillus. L.
— — L. v. chlorocarpum.
— — × Vitis idaea.
— ovatum. Prsh.
— Oxycoccos.
— parvifolium Sm.
— pennsilvanicum. Lam.
— — Ht
— uliginosum. L.
— vacillans. Soland.
— Vitis idaea. L.
— — — L. v. maius.
— — — L. v. nanum.
Zenobia speciosa. Don.
— — Don v. pulverulenta

Ebenaceae.

Diospyros virginiana. L. Perquiniana.
— — v. lucida.
— Lotus. L

Styracaceae.

Halesia diptera. L.
— tetraptera v. Meehani H.
Pterostyrax hispida. S. & Z.
Styrax americana. Lam.
— iaponica. S. & Z.
Symplocos crataegoides. Hamilt.

Oleaceae.

Chionanthus virginica. L.
— — L. v. pubescens.
Fontanesia californica. Ht.
Fontanesia linearis. Ht.
— nana. Ht.
— phillyreoides. Labill.
Forestiera acuminata. Poir.
Forsythia europaea. Deg. et. Bald.
— intermedia Zbl.
— suspensa. Vahl.
— viridissima Ldl.
Fraxinus amara.
— americana. L.
— — L. (elliptica. Ht.)
— — L. pennsilvanica. Hort.
— — v. platycarpa. Ht.
— anomala. Torr.
— Bungeana. DC.
— — DC. v. microphylla.
— cinerea. Ht.
— dimorpha. Coss. & Dur.
— — Coss. & Dur v. dumosa.
— excelsior. L. v.
— — amarissima. Ht.
— — L. (arbutifolia. Ht.)
— — aspleniifolia.
— — L. v. aucubaefolia.
— — L. v. aurea.
— — aureo-punctata. Hort.
— — L. v. australis.
— — L. v. coarctata. Ht.
— — L. v. crispa.
— — L. v. fol. argenteis.
— — L. v. fol. argent. varieg.
— — L. v. imbricata.
— — L. lasiorhachis.
— — L. v. longifolia.
— — L. v. monophylla.
— — L. v. pendula.
— — L. v. spectabilis.
— — stricta.

Digitized by Google

Fraxinus floribunda. Wall.
— iuglandifolia. Ht.
— lentiscifolia. Hort.
— longicuspis. S. & Z.
— mandschurica Rpr.
— Mariesi. Hook.
— microphylla. Ht.
— numidica. Trans.
— oregona. Nutt.
— Ornus. L.
— — L. (lanceolata. Ht.)
— — L. v. rotundifolia.
— oxycarpa. W.
— — aspleniifolia. Ht.
— — Elonza. Hort.
— — taurica. Hort.
— parvifolia v. mixta. Ht.
— potamophila. Herd.
— pubescens. Lam.
— — aucubaefolia.
— — Lam. v. Bosci
— — v. longifolia.
— — nigra.
— pubescens ovata
— quadrangulata. Mchx
— raibocarpa. Rgl.
— Regelii. Dipp.
— sambucifolia. Lam.
— serratifolia. Ht. gall.
— Sieboldiana. Blme.
— sogdiana. Bge.
— viridis. Mchx.
— Washingtoniana. Thorb.
— xanthoxyloides. Wall.
Jasminum humile. Ht.
— fruticans. L.
Ligustrum brachystachyum. Dcne.
— buxifolium. Ht.
— ciliatum. Sieb.
— Ibota. S. & Z.
— — S. & Z. v. ciliatum.
— insulare Dcne.
— laurifolium. Ht.
— obtusifolium. S. & Z.
— ovalifolium. Hssk.
— Quihoui. Carr.
Ligustrum Regelianum. Ht.
— sinense. Lour.
— Stauntoni. DC.
— vulgare. L.
— — L. var.
— — L. v. italicum
— — xanthocarpum.
Phillyrea Vilmoriniana. Boiss.
Syringa amurensis Rupr. v. iaponica
— — Rpr. v. pekinensis.
— chinensis. Willd.
— — W. v. alba.
— — Willd. v. capitata.
— — Saugeana.
— Emodi. Wall.
— iaponica. Desne.
— Josikaea. Jacq.
— — — fl. rubro.
— oblata. Ldl.
— persica. L.
— — alba.
— — pteridifolia.
— villosa. Vahl.
— vulgaris. L.
— — macrostachya.
— — L. v. purpurea.

Loganiaceae.

Buddleia Colvillei. HK. fil. & Thoms.

Apocynaceae.

Vinca minor. L.
— — L. v. alba
— — L. v. media.
— — L. v. pallida

Asclepiadaceae.

Periploca graeca. L.

Verbenaceae.

Callicarpa mollis. Ht.
— — purpurea. Ht.
Clerodendron trichotomum. Thunb

Digitized by Google

Labiatae.

Phlomis fruticosa. L.

Bignoniaceae.

Catalpa bignonioides. Walt.
— Bungei. Ht.
— — C. A. Mey.
— hybrida.
— Kaempferi. S. & Z.
— speciosa Warder.
Tecoma grandiflora. Del.
— radicans. Juss.
— — — v praecox.

Rubiaceae.

Cephalanthus occidentalis. L.

Caprifoliaceae.

Abelia serrata. S. & Z.
Diervilla arborea versicolor. Ht.
— arborescens. Lowii. Ht.
— flavo-fusca. Hort.
— floribunda flavo-fusca.
— florida. S. & Z.
— — S. & Z. v. Isoline.
— — nana fol. variegatis.
— grandiflora. S. & Z.
— — v. alba.
— — S. & Z. arborea. (Ht. Leiden.)
— — arborea sulphurea. Ht.
— — S. & Z. v. Isoline. Ht.
— — venosa.
— hortensis. S. & Z. B. nivea. (Ht. Leiden.)
— hybrida arborea sulph.
— — carminata. Ht.
— — Desboisii. Ht.
— — gratissima. Ht.
— — Gustave Malet.
— — hortensis floribunda. Ht.
Diervilla hybrida Madame Courtier.
— — Sieboldi fol. argent. margin. Ht.
— — Stelzneri. Ht.
— Lavallei. Sämling.
— — — f. atrorosea.
— — — f. sanguin.-rosea
— rosea striata. Ht.
— sessilifolia. Buckl.
— Middendorffiana. Carr.
Lonicera Alberti. Rgl.
— alpigena. L.
— — var. (Webbiana. Hort.)
— — nana.
— bella. Zbl.
— — var. (gibbiflora. Ht.)
— — albida. Zab.
— — atrorosea. Zab.
— — candida. Zab.
— — polyantha. Zab.
— — rosea. Zab.
— Caprifolium. L.
— — L var.
— — pallidum.
— chrysantha. Turcz.
— ciliata. Mhlb.
— — Ht. Zösch.
— ciliosa × sempervirens.
— — Poir. v. Youngii.
— coerulea. L.
— — borealis.
— — dependens.
— — L. (Karelinii. Ht.)
— — L. f. Kirillowii. Ht.
— — praecox.
— — L. v. sphaerocarpa. Rgl.
— Douglasii. Hook.
— etrusca. Savi.
— flava. Sims.
— — H. Zösch.
— floribunda. f. typica.

Digitized by Google

Lonicera floribunda v. Zabeli.
— fragrantissima. Carr.
— gibbiflora. Dippel, Ht. Darmst.
— glauca. Hill.
— glutinosa. Vis.
— gracilipes. Miq.
— hirsuta. Eat.
— hispida. Pall.
— iaponica. Thb. v. Hallii.
— iberica. Bieb.
— implexa Ait.
— involucrata. Bks.
— Ledebouri. Eschsch.
— Maackii. Rupr.
— Maximowiczi. Rupr.
— micrantha. Trtv.
— — Smlg. cleistogama.
— — × misera.
— — Rgl. v. subglandulosa.
— microphylla. Willd.
— minutiflora Zbl.
— misera. Zbl.
— Morrowii. A. Gray.
— mundeniensis. Rehder.
— muscaviensis. Rehder.
— nigra. L.
— notha. Zbl.
— — Zbl. var.
— — alba. Zab.
— — gilva. Zab.
— — grandiflora. Zab.
— — ochroleuca. Zab.
— nummularifolia. Jaub. & Spch.
— oblongifolia. Hook.
— orientalis. Lam.
— — — v. (nigra kamtschat.)
— — caucasica. Jaub. & Spach.
— — Lam v. Louis Leroy.
— — v. Schmitziana.
— parvifolia. Edgew.
Lonicera Periclymenum. L.
— — L. v. frutescens.
— — L. v. mongolicum.
— — L. v. rubrum.
— propinqua super-alpigena.
— — super-Ledebourii. Zab.
— punicea. Ht. Darm.
— pyrenaica. L.
— quinquelocularis Arn. arb.
— rupicola. HK. f. & Thoms.
— Ruprechtiana. Rgl.
— — × tatarica.
— salicifolia. Zab.
— sempervirens. Ait. v. lutea.
— — L. v. punicea.
— spec. Himalaya.
— Sullivantii. A. Gray.
— tangutica. Max.
— tatarica. L.
— — L. v.
— — alba.
— — angustata.
— — erubescens.
— — parvifolia.
— — puberula.
— — quadrifolia.
— — ruberrima.
— — rubra.
— — sibirica.
— — — nana.
— — L. v. splendens.
— — L. v. xanthocarpa.
— turcomanica. F. M.
— Webbiana. Wall.
— Xylosteum L.
— — molle.
Sambucus canadensis. L.
— Fontenaysii. H. gall.
— glauca. Ntt.
— nigra L. chlorocarpa.
— — elegans.

Digitized by Google

Sambucus nigra L. v. fol. aur. marg.
— — fol. luteis.
— — L. fol. laciniatis.
— — L. v. linearis.
— — L. v. pubescens.
— — L. v. pyramidalis.
— — L. v. rotundifolia.
— — L. v. semperflorens.
— — L. v. subtrifoliata.
— plantierensis. Ht
— pubens. Mchx.
— racemosa. L.
— — L. v. filicifolia
— — L. v. pubens. Mchx.
— — L. v. spectabilis.
— — L. v. variegata.
— rosaeflorus. Ht. Gall.
— Sieboldii, albo-marginata.
Symphoricarpus mollis. Nutt.
— — Nutt. v. acutus.
— montanus. Kth.
— orbiculatus. Mnch.
— occidentalis. Hook.
— — Heyeri. H. Zösch.
— oreophilus. A. Gr.
— racemosus. Mchx.
— — — — v. glaucus. H.
— — Mchx. v. pauciflorus.
— rotundifolius. A. Gray.

Viburnum acerifolium. L.
— cassinoides. L.
— dahuricum. Pall.
— dentatum. L.
— — L. v. fol. var.
— Lantana. L.
— — L. v. discolor.
— — L. v. glabrescens.
— — L. v. lanceolatum.
— — L. v. sterile Ht.
— Lentago. L.
— — bullatum. Ht.
— — L. v. subpedunculatum.
— longifolium. Ht.
— molle. Mchx.
— nudum. L.
— — L. v. nitidum.
— Opulus. L.
— — L. v. parvifolium.
— — L. v. sterile.
— prunifolium. L.
— pubescens. Prsh.
— Sieboldi. Miq.
— tomentosum. Thb.
— — Thb. v. plicatum.
— — Thb. v. sterile.
— Vetteri. Zbl

Compositae.

Artemisia Stelleriana. Bess.
Baccharis halimifolia. L.

Digitized by Google

Digitized by Google

Digitized by Google

Digitized by Google